

GENESIS

FORGING THE FUTURE

MACH II READY MADE SPECS



KOCKÒN MACH II READY MADE CONFIGURATIONS FUEL ANTI-THEFT DEVICE











XL 105 PL-CAP

82 45 12 016
KOCKÒN M2 XL 105 PL-CAP

RECOMMENDED APPLICATIONS

DAF, MAN, VOLVO, MERCEDES: all models
IVECO: Stralis, EuroStar, EuroTec, Trakker, EuroTrakker, EuroCargo with metal fuel tanks
RENAULT: Premium, Magnum, Midlum with metal fuel tanks

TECHNICAL SPECIFICATIONS

 120 l/min	 905 g
 Ø 32 mm	 40 mm
 Alu	 80,8 mm
 122x122x133,5 mm	 122 mm











SB 105 PL-CAP

82 45 11 014
KOCKÒN M2 SB 105 PL-CAP

RECOMMENDED APPLICATIONS

DAF, MAN, VOLVO, MERCEDES: all models
IVECO: Stralis, EuroStar, EuroTec, Trakker, EuroTrakker, EuroCargo with metal fuel tanks
RENAULT: Premium, Magnum, Midlum with metal fuel tanks

TECHNICAL SPECIFICATIONS

 120 l/min	 1170 g
 Ø 32 mm	 77 mm
 Alu	 92,5 mm
 122x122x143 mm	 109,5 mm











ULTIMATE 105 PL-CAP

82 45 10013
KOCKÒN M2 ULTIMATE 105 PL-CAP

RECOMMENDED APPLICATIONS

DAF, MAN, VOLVO, MERCEDES: all models
IVECO: Stralis, EuroStar, EuroTec, Trakker, EuroTrakker, EuroCargo with metal fuel tanks
RENAULT: Premium, Magnum, Midlum with metal fuel tanks

TECHNICAL SPECIFICATIONS

 120 l/min	 1220 g
 Ø 32 mm	 59,7 mm
 Alu	 165,5 mm
 122x122x218 mm	 109,5 mm











XL 80 PL-CAP

82 45 12 015
KOCKÒN M2 XL 80 PL-CAP

RECOMMENDED APPLICATIONS

SCANIA: all models
JOHN DEERE: 5000-6000
MASSEY FERGUSON: 4292 hd

TECHNICAL SPECIFICATIONS

 120 l/min	 895 g
 Ø 32 mm	 40 mm
 Alu	 67,5 mm
 122x122x127,5 mm	 122 mm



SB 80 PL-CAP

82 45 11 015
KOCKÒN M2 SB 80 PL-CAP

RECOMMENDED APPLICATIONS

SCANIA: all models
JOHN DEERE: 5000-6000
MASSEY FERGUSON: 4292 hd

TECHNICAL SPECIFICATIONS

 120 l/min	 1150 g
 Ø 32 mm	 60 mm
 Alu	 117 mm
 122x122x136 mm	 122 mm



ULTIMATE 80 PL-CAP

82 45 10 014
KOCKÒN M2 ULTIMATE 80 PL-CAP

RECOMMENDED APPLICATIONS

SCANIA: all models
JOHN DEERE: 5000-6000
MASSEY FERGUSON: 4292 hd

TECHNICAL SPECIFICATIONS

 120 l/min	 1200 g
 Ø 32 mm	 60 mm
 Alu	 156 mm
 122x122x211 mm	 122 mm

KOCKÓN MACH II READY MADE CONFIGURATIONS FUEL ANTI-THEFT DEVICE



XL 105 ZIP

82 45 12 010
KOCKÓN M2 XL 105 ZIP

RECOMMENDED APPLICATIONS

DAF, MAN, VOLVO, MERCEDES: all models
IVECO: Stralis, EuroStar, EuroTec, Trakker, EuroTrakker, EuroCargo with metal fuel tanks
RENAULT: Premium, Magnum, Midlum with metal fuel tanks

TECHNICAL SPECIFICATIONS

120 l/min	1355 g
Ø 32 mm	40 mm
Alu	80,8 mm
136x155x139 mm	142 mm



SB 105 ZIP

82 45 11 016
KOCKÓN M2 SB 105 ZIP

RECOMMENDED APPLICATIONS

DAF, MAN, VOLVO, MERCEDES: all models
IVECO: Stralis, EuroStar, EuroTec, Trakker, EuroTrakker, EuroCargo with metal fuel tanks
RENAULT: Premium, Magnum, Midlum with metal fuel tanks

TECHNICAL SPECIFICATIONS

120 l/min	1620 g
Ø 32 mm	60 mm
Alu	92,5 mm
136x155x150,5 mm	109,5 mm



ULTIMATE 105 ZIP

82 45 10 015
KOCKÓN M2 ULTIMATE 105 ZIP

RECOMMENDED APPLICATIONS

DAF, MAN, VOLVO, MERCEDES: all models
IVECO: Stralis, EuroStar, EuroTec, Trakker, EuroTrakker, EuroCargo with metal fuel tanks
RENAULT: Premium, Magnum, Midlum with metal fuel tanks

TECHNICAL SPECIFICATIONS

120 l/min	1670 g
Ø 32 mm	60 mm
Alu	167 mm
137x137x225 mm	109,5 mm



XL 80 ZIP

82 45 12 011
KOCKÓN M2 XL 80 ZIP

RECOMMENDED APPLICATIONS

SCANIA: all models
JOHN DEERE: 5000-6000
MASSEY FERGUSON: 4292 hd

TECHNICAL SPECIFICATIONS

120 l/min	1345 g
Ø 32 mm	40 mm
Alu	62,9 mm
150x137x132 mm	109,5 mm



SB 80 ZIP

82 45 11 017
KOCKÓN M2 SB 80 ZIP

RECOMMENDED APPLICATIONS

SCANIA: all models
JOHN DEERE: 5000-6000
MASSEY FERGUSON: 4292 hd

TECHNICAL SPECIFICATIONS

120 l/min	1600 g
Ø 32 mm	60 mm
Alu	84,2 mm
137x155x149 mm	109,5 mm



ULTIMATE 80 ZIP

82 45 10 016
KOCKÓN M2 ULTIMATE 80 ZIP

RECOMMENDED APPLICATIONS

SCANIA: all models
JOHN DEERE: 5000-6000
MASSEY FERGUSON: 4292 hd

TECHNICAL SPECIFICATIONS

120 l/min	1620 g
Ø 32 mm	60 mm
Alu	92,5 mm
137x137x223 mm	109,5 mm











XL 105 ZIP-LOCK

82 45 12 017
KOCKÒN M2 XL 105 ZIP-LOCK

RECOMMENDED APPLICATIONS

DAF, MAN, VOLVO, MERCEDES: all models
IVECO: Stralis, EuroStar, EuroTec, Trakker, EuroTrakker, EuroCargo with metal fuel tanks
RENAULT: Premium, Magnum, Midlum with metal fuel tanks

TECHNICAL SPECIFICATIONS

 120 l/min	 1365 g
 Ø 32 mm	 40 mm
 Alu	 80,3 mm
 136x155x146 mm	 140 mm











XL 80 ZIP-LOCK

82 45 12 018
KOCKÒN M2 XL 80 ZIP-LOCK

RECOMMENDED APPLICATIONS

SCANIA: all models
JOHN DEERE: 5000-6000
MASSEY FERGUSON: 4292 hd

TECHNICAL SPECIFICATIONS

 120 l/min	 1355 g
 Ø 32 mm	 40 mm
 Alu	 62,9 mm
 150x137x132 mm	 109,5 mm








CAT ADAPTER

79 45 20 001
CATERPILLAR ADAPTER

RECOMMENDED APPLICATIONS

CATERPILLAR

TECHNICAL SPECIFICATIONS

 Alu	 300 g
 129,6x129,6x32 mm	 90 mm
	 129,6 mm